

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	74	armstrong near2 brad	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:04
L2	1	(three dimension\$4 and variable resistor and shaft).cm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:29
L3	25	( variable resistor and shaft) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:21
L4	0	petentiometer and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:21
L5	24	potentiometer and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:22
L6	45887	proportion\$4 near7 (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:30
L7	3714	6 and three dimension\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:32
L8	100391	variable near2 resist\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:33
L9	535	8 same potentiometer same (rotation\$4 near3 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:35

## EAST Search History

L10	2	7 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:34
L11	932	8 same potentiometer same (rotat\$4 near3 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:37
L12	932	8 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:36
L13	1	7 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:36
L14	2258	8 same potentiometer same ( shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:36
L15	3	7 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:36
L16	1575	8 near5 shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:39
L17	3	7 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:39
L18	2230	8 near10 shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:39
L19	3	7 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:40

## EAST Search History

L20	9171	345/156-161.ccls. or 345/167-169.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:45
L21	2441	341/22.ccls. or 341/34.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:45
L22	11124	20 or 21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:45
L23	127	22 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:47
L24	24	shaft and variable resist\$4 and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ADJ	ON	2007/03/23 16:46